







NOTES:
 : DIMENSIONS WITH "*" INDICATE COVER REMOVAL ALLOWANCE
 : NETT WEIGHT = 490kg/1080lbs
 :  = OIL FILLER/DRAIN PLUG
 : THE INTERFACE PROVIDED FOR MOUNTING THE ACTUATOR OR SECOND STAGE GEARBOX ONTO THE VALVE SHOULD CONFORM TO GOOD ENGINEERING PRACTICES, ENSURING ADEQUATELY TOLERANCED LIMITS FOR PARALLELISM, PERPENDICULARITY AND CONCENTRICITY.
 : ROTORK CANNOT BE HELD LIABLE FOR DAMAGE TO OUR EQUIPMENT CAUSED BY EXCESSIVE LOADING FROM COVER TUBES. (SEE ALSO PUB000-124)



ISOMETRIC VIEW (SCALE 1:12)




N.B. KEYWAY POS. CAN BE MOVED IN 45° STEPS BY REMOVING 8 SCREWS MARKED "A" AND ROTATING OUTPUT SLEEVE
 SEE GEARBOX OUTPUT FLANGE OPTIONS TABLE
 SEE MAXIMUM BORE & KEY TABLE

3D Models are available in various formats under the same drawing number

Actuator Size: IQ70/90/95 IW10/MOW10		Gearbox output flange options								Maximum Bore & Key			
rotork www.rotork.com Rotork Controls Limited Bath, BA1 3JQ, England. Telephone 01225-733200	Title IQ70/90/95, SIDE HANDWHEEL, IW10/MOW10, F35/F40/FA35/FA40, Ratios 60:1 Installation Details	Designation	F35	F40	-	-	FA35	FA40	-	-	Key form	Ø Bore	Key size
	Drawn TED Checked NJC Date 18-AUG-14	No. Holes	8	8	-	-	8	8	-	-	Rectangle (BS4235)	203	50 X 28
	Ref SALES Project Ref QUOTATION	Hole size	M30	M36	-	-	1" UNC	1-1/4" UNC	-	-	Rectangle (ANSI B17.1)	7-5/8"	2 X 1-1/2"
		PCD	356	406	-	-	14"	16"	-	-	Square (ANSI B17.1)	7-3/8"	1-3/4" SQ

Issue	Description
2	4 ENTRY CHANGE

Scale: 1:8  THIRD ANGLE PROJECTION

Drawing Number	Issue No	Sheet No
I15SHWIW10STD	2	1 of 1