

DTM Solutions




Setup, parameterisation, monitoring, and asset management information

Redefining Flow Control

Contents

	-	ß
FO	to	

Section	Page
Product Overview	3
Enhanced Rotork Device Type Manager	4
Design Features	5 & 6
Certification	7





Rotork is the global market leader in valve automation and flow control. Our products and services are helping organisations around the world to improve efficiency, assure safety and protect the environment.

We strive always for technical excellence, innovation and the highest quality standards in everything we do. As a result, our people and products remain at the forefront of flow control technology.

Uncompromising reliability is a feature of our entire product range, from our flagship electric actuator range through to our pneumatic, hydraulic and electro-hydraulic actuators, as well as instruments, gear boxes and valve accessories.

Rotork is committed to providing first class support to each client throughout the whole life of their plant, from initial site surveys to installation, maintenance, audits and repair. From our network of national and international offices, our engineers work around the clock to maintain our position of trust.

Rotork. Redefining flow control.



Product Overview

A Device Type Manager (DTM) is a piece of software supplied by an equipment manufacturer designed to be used within another piece of software called a Field Device Tool (FDT) Container. Many DTMs can be loaded into customers' FDT Container programmes and provide a single point of access to a variety of device setup, parameterisation, monitoring, and asset management information.

The ability to load multiple DTMs into an FDT Container allows support for not only different device types supplied by different manufacturers, but also a variety of different network types.

A graphical interface that follows the FDT Group Style Guide results in a powerful easy to use solution for the customer. Rotork has responded to existing and expected future customer demand by implementing a DTM solution. This complements other technologies such as EDDL to give customers greater choice.

The Rotork DTM automatically adjusts its behaviour and available data depending on the type of actuator selected, version of Profibus software installed in the connected actuator and if online or offline modes are selected.

The Rotork DTM is an industry standard solution in a competitive market.















Enhanced Rotork Device Type Manager


In response to customer demand, Rotork has developed a Profibus Device Type Manager (DTM), for the enhancement of commissioning and asset management across a wide range of actuators in the Rotork range, including IQ, CVA, ROMpak, SI and EH.

The Rotork Profibus DTM works with Field Device Tool (FDT) Technology to provide a standard interface independent of the software environment of either the device or host system. End users have a single point to access and manage data from multiple networks using different protocols and containing equipment from multiple vendors.

Rotork is a member of the FDT Group and is committed to continually improving and developing the capabilities of this technology to provide customers with the latest capabilities.

Interoperability testing with various manufacturers including ABB, Endress+Hauser, Honeywell, Ifak, M&M Software, the Phoenix Contact Group and Yokogawa ensures optimum operation of the Rotork Profibus DTM in a wide variety of applications.

In addition to configuration, parameterisation and graphing for all supported actuator types, the enhanced DTM includes features such as detecting connection of the latest generation of IQ *Pro* actuators and automatic display of extended diagnostic and operational data. Downloading of logged data and EEPROM configuration setting is now also possible with the latest generation of IQ *Pro* actuators.




Profibus DTM

- Device Type Manager
- Represents the device
- Supplied by device vendor

Frame Application

- Launches the DTM
- Supplied as part of the host system
- Manages the device instances





Design Features

Asset Management

The Rotork Profibus DTM provides real time information about actuators connected to the Profibus network. This allows settings to be checked, recorded and printed out for record keeping. This is useful for:

- Backup Settings
- Historical Datalog comparison
- Information/ Data previously unavailable over a network

Predictive Diagnostics

The Rotork Profibus DTM provides quick and simple access to the wealth of information available from Rotork actuators. This includes information such as total number of movements both closed and open, historical and current torque profiling for the apparatus the actuator is connected to and graphical information on actuator temperature that can all be used for optimising preventative maintenance schedules.

The ability to monitor actuator conditions and performance remotely can be invaluable as actuators can be located in remote, difficult to access and hazardous areas, so the ability to easily monitor many parameters remotely can be invaluable.

Rotork Profibus DTM and IQ-Insight


Actuator datalogger and configuration files that have been remotely downloaded using the DTM can be reviewed and analysed using Rotork's existing IQ InSight software, available to download free of charge from the Rotork website.


PC tools - IQ-Insight - Pocket-Insight

IQ-Insight PC software is a graphical user interface allowing actuator data logger information to be reviewed and analysed. Set-up and configuration data can be reviewed, analysed and reconfigured. This visually interactive application runs under Microsoft Windows[™] operating systems.

Intuitive controls make analysing actuator data simple and fast. Laptop PCs with an IrDA[™] interface running IQ-Insight can be directly connected to an actuator located in the field to allow set-up, configuration and analysis. Alternatively, data can be uploaded from the actuator and later downloaded to a PC by using a PDA running IQ Pocket-Insight. IQ-Insight and Pocket-Insight are available to download free from the Rotork website.

Rotork Infra-Red Setting tools are approved for hazardous area use and can also be used to download multiple actuator configuration and datalogger information sets from actuators. However the ability to use the DTM to download this data makes this operation even simpler, more convenient and cost effective.





IQ-Insight PC software screenshots



Design Features

FDT Containers

Field Device Tool (FDT) Containers are the software programs used to load manufacturers' DTMs. It can be thought of in a similar way to how printer drivers that are supplied by the manufacturer of the equipment are provided for the customer to load into their own operating system, enabling the printer to exist alongside multiple other devices from other manufacturers. In this case the printer driver is the DTM and the operating system is the FDT Container.

A growing list of companies provide FDT Container software, many of which are free of charge such as PACTware[™] and the M&M FDT Container software. FDT Containers exist for a variety of operating systems, standard Windows operating systems and also proprietary Distributed Control Systems.

	charolity British Br. Y. Dr.			
VY Combile Danual do ROTORE BR	ACCERT OF AC Server			
Anners sorres are	And Developed Bar			
	- Subda			
	1000 1000 1000 1010 1020			
	- Inscretos			
	Care			
	Tagarandad Balancias			
	Automatic Palanteer			
	them the the Hilderstei Sam Billin a			
	THE ANDREAD			
	feet and a second second second second second second second			
	Eben Elan Eben i a si a sa			
	Pinetel Lines / E			

	atherets within 19,35 leve		
Although of Proceedings of Proceedin			rotori
 Table 1 and table 1 and table	10 Indexpression Branches 2015 Michael 2015	9 Endpandee Distance Distance Distance Distance Distance Distance Constance Distance	
		and the second s	

Actuator I/O configuration


	9. *********	
**	and a second a second s	
Channel 25 (2010) 17 (21 Sweet	NOTORE DF VIDense	rotor
«Channel In DOTORIE DP., VT De «Channel In DOTORIE DP., VT De	na 🐨 🗰 Nad Gend (d)	1010
	The second	
	C. Wester in an Index of Network Control Control Control of Control Co	
	LACH IN IN THE THE THE TO THE	
	MOD AND PROVIDENT	
	III JOCA EXCENTION CONTRACTOR AND A CONT	
	TORSE ENTERIORIENTETT	
	2.0124 Internet Inter	
	CATCAL ATTRACTOR AND A CONTRACTOR	
	INCOMP INCOMP ENVIRONMENT	
	NALL CON ADDRESS OF AD	
	DAT OT: VERMIN DEMONSTRATION DESCRIPTION DE LA CONTRACTA DE LA	
	107 DTL As star to consider of the address of the a	
	ALTE: DESCONDERAL THE ATT A CONTRACT AND A CONTRACT	
	AND SHOT SHOT SHOT SHOT SHOT SHOT SHOT SHOT	
	sectors min	
	Not the second s	

Extract configuration



Contact details and links to latest information

Actuator control



Extract datalog







Design Features


Unique Rotork DTM features

The enhanced Rotork Device Type Manager provides detailed test and diagnostics features. A sample diagnostic screen is shown to the right:



Graphical status monitoring





Torque profiles

Configuration main menu

Certification

FDT group certification

The Rotork Profibus DTM is certified by the FDT Group to ensure compatibility and interoperability in a wide variety of applications.

Availability

The latest Rotork Profibus DTM and FDT Group certificate are available to download free of charge from the Rotork website.

http://www.rotork.com/en/product/index/profibusliterature



7



Electric Actuators and Control Systems Fluid Power Actuators and Control Systems Gearboxes and Gear Operators Precision Control Instruments Projects, Services and Retrofit

rotorĸ



www.rotork.com

PUB088-002-00 Issue 03/12 As part of a process of on-going product development, Rotork reserves the right to amend and change specifications without prior notice. Published data may be subject to change. For the very latest version release, visit our website at www.rotork.com The name Rotork is a registered trademark. Rotork recognizes all registered trademarks. Published and produced in the UK by Rotork Controls Limited. POWTG0312