



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

स्पीड पोस्ट
SPEED POST



E-mail :
explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-
2510577

Approval No : A/P/HQ/TN/104/5523 (P400692)

Dated : 25/04/2017

To,

M/s. Rotork Controls Ltd.,
Brassmill Lane, Bath, BA1 3JQ, Bath
BA1 3JQ mail@rotork.co.uk 01225-733200
UK

E 3 MAY 2017

Sub : Approval for Electric Valve Actuator under Petroleum Rules, 2002-reg.

Sir(s),

Please refer to your letter No. OIN101413 dated 10/03/2017 on the subject.

There would be no objection to your supplying subject manufactured item/equipment by you conforming to according to IEC -60079-0-2011, IEC 60079-1:2007-04, standards and covered under Certificate No. dated. The above shall be comprising of following approved type of electrical components as described below, the subject manufactured items is suitable for **Zone 1, Zone 2 only:-**

Sr.No	Description (Components Description)	Make	Safety Protection	Agency	Certificate No. & Date	Drawings
1	Electric Valve Actuators Gas Group II C	Rotork Controls Ltd	Ex d IIC T4 Gb	SIRA Certification Services	IECEX SIR 17.0019X Date 24/02/2017	
2	Electric Valve Actuators	Rotork Controls Ltd	Exd IIB T4 Gb	SIRA Certification Services	IECEX SIR 17.0018X Date 24/02/2017	

This Approval is granted subject to observance of the following conditions:-

- 1) The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Test Reports referred to above.
- 2) The equipment shall be used only with approved type of accessories and associated apparatus.
- 3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Test report and is identical with the one tested and certified at shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame

Proof characteristics.


6) The After sales service and maintenance of subject equipment shall be looked after by your representative Satish Laddhad, 21 Central Bazar Road, Ramdaspath, Nagpur - 440 010

This approval also covers the permissible variations as approved under the SIRA Certification Services test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2021**

Yours faithfully,


(K Srinivasa Rao)
Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI
2. Rotork Controls India Private Limited, Satish Laddhad, 21 Central Bazar Road, Ramdaspath, Nagpur - 440 010

For Chief Controller of Explosives

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.