EU Declaration of Conformity



Rotork Gear Operators & Optional Gearbox Equipment

This declaration of conformity for the Gear Operators:

IB, HOB, IS, IW, MOW, MTW, HOW, AB, 232, 242, ILG/S, ILG/D, W100, AB-CS PR, ABM, AB-SS, BR, M, MF, SD, A, H

And optional Gearbox Mechanical Equipment:

IR, AS, Lever Arm, Travelling Nut, TCU, MABD, ECL, DSIR, MPR

Is issued under the sole responsibility of **Rotork UK Ltd.** for equipment manufactured at the following locations:

Rotork UK Limited	Rotork Gears BV	Rotork Controls Inc.
9 Brown Lane West	Postbus 98	675 Mile Crossing Boulevard
Leeds	7580 AB	Rochester
LS12 6BH	Losser	New York 14624
UNITED KINGDOM	THE NETHERLANDS	USA

Rotork Gears Shanghai Rotork Gears India

260 Lian Cao Road 165/166 Bommasandra Jigani

Xin Mei Urban Industrial Park Link Road

Minhang District, Shanghai Kiadb Industrial Area 201108 Jigani, Bangalore 562106

CHINA INDIA

The objects of the declaration described and their derivatives are in conformity with the relevant European Union harmonisation legislation:

Directive 2014/34/EU on equipment for potentially explosive atmospheres (ATEX)

A presumption of conformity is claimed using the following harmonised and non-harmonised standards:

EN IEC 60079-0:2018 EN ISO 80079-36:2016, EN ISO 80079-37:2016 and EN 1127-1:2019

Where the referenced standards are no longer harmonised, an analysis against the current harmonised standard indicates no changes that affect the products compliance with the directive Essential Health and Safety Requirements.

Rotork UK Ltd. 9 Brown Lane West, Leeds, UK.

Tel: +44 (0)113 236 3312 *Fax:* +44 (0)113 205 7266

www.rotork.com



Rotork Gear Operators & Optional Gearbox Equipment

Provisions of the Directive fulfilled by the Equipment:

Standard Temperature Duty:

II 2 GD

Ex h IIC T3 Gb, down to -40°C \leq Ta \leq up to 120°C Ex h IIIC T200°C Db, down to -40°C \leq Ta \leq up to 120°C

or

Ex h IIC T4 Gb, down to -40°C \leq Ta \leq up to 70°C Ex h IIIC T135°C Db down to -40°C \leq Ta \leq up to 70°C or

Ex h IIC T5 Gb, down to -40° C \leq Ta \leq up to 35°C Ex h IIIC T100°C Db down to -40° C \leq Ta \leq up to 35°C or

Ex h IIC T6 Gb, down to -40° C \leq Ta \leq up to 20° C Ex h IIIC T85°C Db, down to -40° C \leq Ta \leq up to 20° C

Low Temperature Duty:

II 2 GD

Ex h IIC T4 Gb, down to -60° C \leq Ta \leq up to 70° C Ex h IIIC T135 $^{\circ}$ C Db, down to -60° C \leq Ta \leq up to 70° C

Ex h IIC T5 Gb, down to -60° C \leq Ta \leq up to 35°C Ex h IIIC T100°C Db, down to -60° C \leq Ta \leq up to 35°C or

Ex h IIC T6 Gb, down to -60° C \leq Ta \leq up to 20° C Ex h IIIC T85°C Db, down to -60° C \leq Ta \leq up to 20° C

High Temperature Duty:

II 2 GD

Ex h IIC T2 Gb, down to -20° C \leq Ta \leq up to 150°C Ex h IIIC T300°C Db, down to -20° C \leq Ta \leq up to \leq 150°C

Extra High Temperature Duty:

II 2 GD

Ex h IIC T2 Gb, down to -20° C \leq Ta \leq up to 200°C Ex h IIIC T300°C Db, down to -20° C \leq Ta \leq up to 200°

Conformity has been demonstrated with reference to the following documentation:

ATEX Technical File: DOC-10554

Notified Body Receipt: Baseefa03ATEX0555DR

ATEX Notified Body holding the technical file:

SGS Fimko Oy, Takomotie 8, FI-00380 Helsinki,

Finland

(EU Notified Body Number: 0598)

Signed for and on behalf of:

Rotork UK, Leeds UK. 27 September 2023

Paul Blackman - Plant Manager

Rotork UK Ltd.

9 Brown Lane West, Leeds, UK.

Tel: +44 (0)113 236 3312 *Fax:* +44 (0)113 205 7266

www.rotork.com

EU Declaration of Conformity



Rotork Gear Operators & Optional Gearbox Equipment

Paul Blackman, Plant Manager.

Rotork UK Ltd. 9 Brown Lane West, Leeds, UK.

Tel: +44 (0)113 236 3312 *Fax:* +44 (0)113 205 7266

www.rotork.com